Starvation

Starvation:

Deprivation of a regular and constant supply of food which is necessary to maintain the nutritional balance of the body.

AcuteChronic

Clinical features:

- Hunger 2 days
- Pain epigastrium relieved by pressure
- Intense thirst
- Absorption of subcutaneous fat
- Eyes sunken, dilated pupils
- Cracked lips
- Coated furry tongue

Apathy & fatigue Skin dry with disagreeable odour Weak pulse Hypothermia Flaccid muscles Oedema face & feet Constipation then dirrhoea Concentrated urine Loss of 40% body weight Death

Fatal period:

10-12 days (Food & Water withdrawn)
6 - 8 weeks (Only food withdrawn)

Body condition, Age and sex variations exist

Treatment:

Start small liquid sips (water, juice, glucose)

Vitamins

Intravenous nutrients

Body warmth

Force feeding?

P.M. Appearance:

External:

- Emaciation
- Sunken eyeballs
- Glistening eyes
- Coated tongue
- Dry skin with disagreeable odour
- Evidence of violence?

Internal:

Loss of subcutaneous, omental & mesenteric fat – Intestines papery thin
Gall bladder distended with thick bile
Stomach may contain inedible substances

•Ketone bodies in urine

Medico-legal questions:

? Whether death was caused by starvation

? Whether suicidal, homicidal or accidental